

PS ANALYTICAL

PRODUCT SPECIFICATION

10.035 MILLENNIUM MERLIN 1631 SYSTEM

System Description

Automated atomic fluorescence spectrometer with integrated vapour generation and amalgamation system for the determination of mercury to trace and ultra trace levels. Low-pressure Hg lamp excitation source with detection by photomultiplier. Capable of operation with continuous flow, discrete sample injection and preconcentration options. Suitable for both routine and research applications matching throughput with sensitivity requirements.

General

Gas Liquid Separator	Unique design with low foaming characteristics offering virtually zero carryover
Gas Supply	An inlet pressure of 30 - 60 psi is required. Flow rates pre-set to optimum levels with automatic shutdown under software control
Perma Pure™ Cassette	Perma Pure™ continuous moisture removal system in an interchangeable cassette
System Control	Full control with PSA's Millennium software running under MS Windows™
Data Connection	Built in USB interface
Computer Specification	The Minimum specification of the PC needed to run the software is Intel Pentium processor, 64 MB RAM., 50 MB free HD space, SVGA graphics 800 x 600, 256 colours, Windows 95, 98, NT, 2000 or XP operating system

Sample Throughput and Analytical Performance

Limit of Detection*	0.1 ppt (without preconcentration) 0.01 ppt (with preconcentration) *(limit of detection will depend on purity of reagents)
Linear Dynamic Range	ppt to ppm levels
Sample Throughput	Up to 60 samples per hour
Autosampler (Optional)	Up to 200 sample, random access (4 versions available)
Power Requirements	Voltage 230V AC at 50 Hz or 120V AC at 60 Hz
Voltage Fluctuation	±10%

PS ANALYTICAL

UK: Arthur House, Crayfields Industrial Estate, Main Road, Orpington, Kent BR5 3HP, UK

Tel: +44 (0) 1689 891 211 Fax: +44 (0) 1689 896009 E-mail: psa@psanalytical.com

USA: 1761 W. Hillsboro Blvd., Suite 318, Deerfield Beach, FL 33442, USA

Tel: +1 (954) 429 1577 Fax: (954) 429 1601 E-mail: usa@psanalytical.com

www.psanalytical.com



PSA

Power	Total system, not including PC, 450 VA
Operating Environment	-5°C to +40°C, further details available on request
Technical Standard	Compliant with the legal requirements of the Low Voltage Directive 73/23/EEC and the EMC directive 89/336/EEC

The System is also Compliant with the Following Standards

Safety	Built to IEC 1010-1 (EN61010-1) Safety requirements for electrical equipment for measurement, control and laboratory use
EMC	EN50081-1 Generic emission, residential, commercial light industrial environment
	EN50082-1 Generic immunity, residential, commercial light industrial environment

System Specification

Weight	Actual: 14 Kg
	Packed: 25 Kg including manuals/spares and consumables kit
Dimensions	Actual: 460 H x 380 W x 350 D (mm)
	Packed: 750 H x 600 W x 500 D (mm)
Optional Accessories	Atomic Absorption Module for Hg determinations to meet local regulations

Software

The PSA Millennium Software provides instrument control and data acquisition running under MS Windows™

Fully Multi-Tasking

Add a calibration, multiple samples and checks at the touch of a button
 Set the system to automatically shut down at the end of a run
 User definable results display
 Set over-range criteria, such as automatically running a blank after a high sample
 Export to LIMS software
 Complete saving of all information about a particular sample
 Keep a history of all modifications made to a particular method

As Standard the Millennium Merlin System Comprises

Millennium Merlin
 PSA Millennium Software
 All interface cabling
 Installation Kit
 **Consumables Kit (up to 6 months supply depending on use)
 User Manual

**Note: Consumables kit is not supplied on "X" models, e.g. 10.035X.



PS ANALYTICAL

UK: Arthur House, Crayfields Industrial Estate, Main Road, Orpington, Kent BR5 3HP, UK
 Tel: +44 (0) 1689 891 211 Fax: +44 (0) 1689 896009 E-mail: psa@psanalytical.com
 USA: 1761 W. Hillsboro Blvd., Suite 318, Deerfield Beach, FL 33442, USA
 Tel: +1 (954) 429 1577 Fax: (954) 429 1601 E-mail: usa@psanalytical.com
www.psanalytical.com

Optional Items

Random Access Multiple Tray Autosampler

Personal Computer (Pentium based). (Full specification available on request)

Printer compatible with above PC

Millennium Merlin1631 is a PSA Tradename. M/S Windows is a Microsoft Tradename



P S ANALYTICAL

UK: Arthur House, Crayfields Industrial Estate, Main Road, Orpington, Kent BR5 3HP, UK

Tel: +44 (0) 1689 891 211 Fax: +44 (0) 1689 896009 E-mail: psa@psanalytical.com

USA: 1761 W. Hillsboro Blvd., Suite 318, Deerfield Beach, FL 33442, USA

Tel: +1 (954) 429 1577 Fax: (954) 429 1601 E-mail: usa@psanalytical.com

www.psanalytical.com